

# Package ‘arabic2kansuji’

June 21, 2022

**Type** Package

**Title** Convert Arabic Numerals to Kansuji

**Version** 0.1.2

**Description** Simple functions to convert given Arabic numerals to Kansuji numerical figures that represent numbers written in Chinese characters.

**License** MIT + file LICENSE

**URL** <https://github.com/indenkun/arabic2kansuji>

**BugReports** <https://github.com/indenkun/arabic2kansuji/issues>

**Encoding** UTF-8

**RoxygenNote** 7.2.0

**Imports** purrr, stringr, stats

**Language** en-US

**NeedsCompilation** no

**Author** Mao Kobayashi [aut, cre]

**Maintainer** Mao Kobayashi <kobamao.jp@gmail.com>

**Repository** CRAN

**Date/Publication** 2022-06-21 06:30:02 UTC

## R topics documented:

arabic2kansuji . . . . . 2

**Index** . . . . . 3

---

arabic2kansuji                      *Convert Arabic numerals to Kansuji*

---

### Description

Converts a given Arabic numerals to Kansuji numerical figures that written in Chinese characters (in other words, Chinese numeral). `arabic2kansuji()` function can also convert Arabic numerals in the string to kansuji. `arabic2kansuji_num()` function can convert a vector of only one Arabic numerals to Kansuji. Use `arabic2kansuji_all()` can calculate and convert Arabic numerals to Kansuji while retaining the original non-Arabic numeral string.

### Usage

```
arabic2kansuji(str, zero = c("rei", "zero"), width = c("half", "full", "all"))

arabic2kansuji_num(num, ...)

arabic2kansuji_all(str, widths = c("half", "all"), ...)
```

### Arguments

<code>str</code>	Input vector.
<code>zero</code>	Selects whether 0 should be zero like o ("rei") or zero like have rain crown ("zero") when Arabic numerals are converted to kansuji.
<code>width</code>	Selects whether you want to convert Arabic numbers, only half-width numbers ("half") or only full-width numbers ("full") or both half-width and full-width numbers ("all") when converting Arabic numbers to kansuji.
<code>num</code>	Input only number. Accept more than one number.
<code>...</code>	Other arguments to carry over to 'arabic2kansuji()'.
<code>widths</code>	Selects whether you want to convert Arabic numbers, only half-width numbers ("half") or both half-width and full-width numbers ("all") when converting Arabic numbers to kansuji.

### Value

a character.

### Examples

```
arabic2kansuji(2020)
arabic2kansuji(2020, zero = "zero")
arabic2kansuji(c(2019, 2020, 2021))
arabic2kansuji_num(2020)
arabic2kansuji_num((c(2019, 2020, 2021)))
arabic2kansuji_all("This year is 2020, next year is 2021.")
```

# Index

arabic2kansuji, [2](#)  
arabic2kansuji\_all (arabic2kansuji), [2](#)  
arabic2kansuji\_num (arabic2kansuji), [2](#)