

# Package ‘binseqtest’

December 16, 2016

**Type** Package

**Title** Exact Binary Sequential Designs and Analysis

**Version** 1.0.3

**Date** 2016-12-15

**Author** Jenn Kirk, Michael P. Fay

**Maintainer** Michael P. Fay <mfay@niaid.nih.gov>

**Description** For a series of binary responses, create stopping boundary with exact results after stopping, allowing updating for missing assessments.

**License** GPL-3

**Depends** methods, graphics, stats, clifun

**Collate** 'allFuncs.R'

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-12-16 08:33:45

## R topics documented:

binseqtest-package . . . . .	2
analyze . . . . .	3
analyze-methods . . . . .	4
binseqtest-internal . . . . .	4
bound-class . . . . .	6
designOBF . . . . .	7
EN . . . . .	9
getTSalpha . . . . .	10
modify . . . . .	11
plot-methods . . . . .	12
powerBsb . . . . .	13
prStop . . . . .	14
stopTable . . . . .	15
summary-methods . . . . .	16
unirootDiscrete . . . . .	17

---

binseqtest-package      *Binary sequential tests*

---

## Description

Design and analyze binary sequential tests

## Details

Package: binseqtest  
Type: Package  
Version: 1.0.2  
Date: 2016-10-12  
License: GPL (>=2)  
LazyLoad: yes

The package creates designs for testing a series of binary responses sequentially. It allows checking after every response, or grouped sequential tests. Gives exact confidence intervals and p-values. Has an option for non-binding futility boundaries.

There are functions for creating the binary sequential boundaries or binary grouped sequential boundaries (see [design0BF](#)), creating tables of statistics (estimates, confidence intervals, and p-values) at specific stopping points in the boundary (see [link{stopTable}](#)), modifying the boundaries (see [modify](#)), and plotting the boundaries ([plot-methods](#)).

For details see Kirk and Fay (2014).

## Author(s)

Jenn Kirk, Michael P. Fay

## References

Kirk, JL, and Fay, MP (2014). An Introduction to Practical Sequential Inferences via Single Arm Binary Response Studies Using the binseqtest R Package. (to appear in American Statistician).

## Examples

```
# create an O'Brien-Fleming-type design, with 2.5 percent error on each side with max N of 50
B<-design0BF(50)
# plot it
plot(B)
# create a table for N (total samples) values between 20 and 25
stopTable(B,Nrange=c(20,25))
# modify the boundary if you missed looks at N=30 through 35
Bmod<-modify(B,missN=30:35)
plot(Bmod)
```

---

analyze	<i>Methods for calculating estimates, confidence intervals, and p-values from binary sequential boundaries</i>
---------	--

---

### Description

For routine use, these functions will not need to be called directly but are called from within the design functions (see [design0BF](#)). If needed, use `analyze` for any class representing a binary sequential boundary (see [bound-class](#)), and the appropriate function is called.

### Usage

```
analyzeBound(object, theta0 = 0.5, stats = "all",
             alternative = "two.sided", conf.level = 0.95,
             tsalpha = NULL, ...)
analyzeBoundNBF(object, theta0 = 0.5, stats = "all",
                alternative = "two.sided", conf.level = 0.95,
                tsalpha = NULL, cipMatch = TRUE, ...)
```

### Arguments

<code>object</code>	a binary sequential boundary (for classes see <a href="#">bound-class</a> )
<code>theta0</code>	probability of success under the null
<code>stats</code>	character, either 'all' or 'pval'
<code>tsalpha</code>	vector of length 2, error on either side, if present overrides <code>alternative</code> and <code>conf.level</code> (see details)
<code>alternative</code>	character, either 'two.sided', 'less', or 'greater'
<code>conf.level</code>	confidence level
<code>cipMatch</code>	logical, for non-binding futility boundaries, should CI match the p-values on the binding boundary
<code>...</code>	further arguments to be passed

### Value

if `stats='all'` returns an object of class 'boundEst', otherwise returns a numeric vector of p-values

### See Also

See [analyze-methods](#)

---

analyze-methods	<i>Calculate estimates, confidence intervals and p-values from binary sequential boundary</i>
-----------------	---

---

### Description

The method analyze calculates the estimate, confidence interval and p-values (both one-sided ones and the two-sided one) from a binary sequential boundary. The methods works on any of the classes that represent those boundaries (see [bound-class](#)).

### Methods

signature(object = "ANY") Generic function: see [analyze](#)

signature(object = "abparms") Calculate estimates, confidence intervals and p-values from 'abparms' object.

signature(object = "bound") Calculate estimates, confidence intervals and p-values from 'bound' object.

signature(object = "boundNBF") Calculate estimates, confidence intervals and p-values from 'boundNBF' object.

---

binseqtest-internal	<i>Internal functions</i>
---------------------	---------------------------

---

### Description

Internal functions, not to be called by user

### Usage

```
validAbparms(object)
validBound(object)
validBoundEst(object)
validBoundNBF(object)

abBindBothCalcK(object)
abtoBound(from)

pCalc(S,N,K,order,theta0=.5,alternative="two.sided",ponly=FALSE)
ciCalc(S,N,K,order,type="upper",alpha=0.025)

missNAbparms(ab,missN=NULL,...)
```

**Arguments**

object	object, usually a boundary of some class
from	an object of class abparms
S	vector of number of successes
N	vector of number of trials
K	vector of number of ways to reach each boundary point
order	vector of ordering of boundary points
theta0	null value of probability of success each binary random variable
alternative	character, either 'two.sided', 'less', or 'greater'
ponly	logical, should only the specific p-value type given by alternative be calculated
type	character, type of one-sided confidence interval to calculate, either 'upper' or 'lower'
alpha	numeric, amount of error to allow on the one side of the confidence interval
ab	object of class 'abparms'
missN	numeric vector, the N values where assessments are missed
...	arguments passed to other functions, not used

**Details**

The validXX functions check that the object is a valid member of the class XX. For example, validBound checks that a bound object is OK by sum the probability distribution using the N,S, and K values and checking that it is within computer error of 1. The validity checks are run automatically by the new() function as part of the S4 implementation.

The function abBindBothCalcK takes an abparms object and creates a bound object. It requires calculating K, which is the number of ways to reach each boundary point. It ignores the binding argument and assumes all boundaries are binding. The abtoBound function uses the binding argument to create either a bound object (for binding='both') or a boundNBF object otherwise. Users can use the as function to coerce an abparms object to a bound object.

The function pCalc takes a boundary and calculates p-values, and outputs a vector of p-values (ponly=TRUE) or list of 3 vectors (plower,pupper, pval).

The function cCalc takes a boundary and calculates one of the one sided confidence intervals as directed by the type argument (either 'upper' or 'lower').

The functions analyzeBound and analyzeBoundNBF take objects of the bound and boundNBF classes and create ones of the boundEst and boundNBFest classes. This means basically that the confidence intervals and p-values are calculated that go with those bounds.

The functions getAlternative and getTSalpha get those parameters from the inputs.

The function missNAbparms modifies abparms objects to reflect missing assessments. This is the working function for the missN option in modify.

---

 bound-class

---

*Classes for binary sequential boundaries*


---

### Description

There are several classes that represent binary sequential boundaries. The most simple is the `abparms` class, then comes the `bounds` class (which contains `abparms`), then comes `boundNBF` class (which contains `bound` class), or `boundEst` class (which contains `bounds` class), then comes `boundNBFest` (which contains `boundNBF`). See details for which slots go with which classes.

### Details

The simplest representation of a binary sequential boundary is the `abparms` class, represented by a vector of the total number of trials ( $N_k$ ) where to stop, and denoting stopping when number of successes,  $S$ , is  $S \geq b$  or  $S \leq a$ . One sided boundaries can be represented by all NA values for either  $a$  or  $b$ . Often times a two-sided boundary treats one side as a superiority boundary which must be stopped if crossed (a binding boundary), while the other side of the boundary is a futility boundary which may be ignored (a non-binding boundary). For example when `binding='upper'`, then p-values for the upper boundary are calculated as if the lower boundaries are ignored if crossed and stopping happens on the lower side at  $\max(N_k)$  instead, while the p-values for the lower and end boundary points are calculated using all (lower, upper and end) boundaries.

Next is the `bound` class which adds the slots  $N$  (number of trials at each boundary point),  $S$  (number of successes at each point),  $K$  (number of ways to get to each point), `order` (ordering of points for p-value calculations), `UL('upper', 'lower' or 'end')`.

### Slots

**Nk:** vector of number of samples at boundary stopping points  
**a:** vector for lower bound, stop if  $S$  out of  $N_k$  is less than or equal  $a$ . NA denotes do not stop.  
**b:** vector for upper bound, stop if  $S$  out of  $N_k$  is greater than or equal  $b$ . NA denotes do not stop.  
**binding:** character specifying which boundary section is binding, either 'both', 'upper', or 'lower'  
**alternative:** character specifying alternative, 'two.sided', 'less', or 'greater'  
**N:** vector of number of samples at boundary stopping points  
**S:** vector of number of successes at boundary stopping points  
**K:** vector of number of ways to get to each boundary point  
**order:** vector of ordering of points  
**UL:** character vector denoting part of boundary, either 'lower' or 'upper' or 'end'  
**estimate:** vector of estimates of theta, probability of success  
**lower:** vector of lower confidence intervals for theta  
**upper:** vector of upper confidence intervals for theta  
**conf.level:** confidence level associated with confidence intervals  
**alpha:** error on either side

theta0: null value for theta  
 plower: vector of lower p-values  
 pupper: vector of upper p-values  
 pval: vector of p-values as directed by alternative slot

### Methods

There is a plot and a points method for boundEst objects.

### Author(s)

Jenn Kirk, Michael P. Fay

### Examples

```
new("abparms", Nk=200)
```

---

designOBF

*Design Sequential Binary Boundary*

---

### Description

There are several functions that create binary sequential boundaries. The function designAb allows great flexibility in creating user defined boundaries. The functions designOBF and designOBFpower create boundaries of the O'Brien-Fleming type, extending those boundaries to allow looks after every observation. The former (designOBF) uses a user defined maximum number of observations (Nmax), while the latter (designOBFpower) uses the power argument to try to find a design with a smaller maximum that achieves the desired power. The functions designFixed and designFixedpower are analogous for fixed sample designs. The function designSimon uses the [ph2simon](#) from the **clinfun** package to create boundaries using Simon's (1989) two-stage design.

### Usage

```

designAb(Nk, a = NULL, b = NULL, theta0 = NULL,
        tsalpha = NULL, alternative = "two.sided",
        conf.level = 0.95, binding = "both")

designOBF(Nmax, theta0 = 0.5, k = Inf, tsalpha = NULL,
        alternative = "two.sided", conf.level = 0.95,
        binding = "both")
designOBFpower(theta0 = 0.5, theta1=.6, k=Inf,
        power=.9, tsalpha = NULL, alternative = "two.sided",
        conf.level = 0.95, binding = "both", allNgreater=FALSE,
        checkmax=10, maxNmax=2*ss)

designFixed(Nmax, theta0 = 0.5, tsalpha = NULL,

```

```

alternative = "two.sided", conf.level = 0.95)
designFixedpower(theta0 = 0.5, theta1 = 0.6, power = 0.8,
  maxNmax = Inf, tsalpha = NULL, alternative = NULL,
  conf.level = 0.95, allNgreater = FALSE)

designSimon(theta0, theta1, alpha = 0.05, beta = 0.2,
  type = c("optimal", "minimax"), nmax=100)

```

## Arguments

Nk	vector of unique N values where there is stopping
a	numeric vector with length(a)=length(Nk)-1, stop if number of successes out of Nk[i] is less than or equal to a[i] (see details)
b	numeric vector with length(a)=length(Nk)-1, stop if number of successes out of Nk[i] is greater than or equal to b[i] (see details)
Nmax	maximum number of observations for the design
maxNmax	maximum number for Nmax (see details)
k	number of looks at the data, Inf denotes looking after each observation
theta0	probability of success under the null
tsalpha	vector of length 2 with nominal significance levels for each side, if not NULL overrides conf.level and alternative (see <a href="#">getTSalpha</a> )
conf.level	confidence level, ignored if tsalpha is not NULL
alternative	character, alternative hypothesis, either 'less', 'greater' or 'two.sided'
binding	character, which sides are binding: 'both', 'upper', or 'lower'
theta1	probability of success under alternative for power calculations
power	nominal power, boundary strives to have power under the alternative at least equal to power
allNgreater	logical, if TRUE max(N) will be at least as large as the fixed sample size for which all greater N have power>power
checkmax	integer, on the iteration checkmax, check that Nmax has power at least power
alpha	one sided alpha level for test theta>theta0
beta	1-power, for theta1
type	character, type of 2-stage design, either 'optimal' or 'minimax'
nmax	maximum total sample size, cannot be higher than 1000

## Details

The tsalpha, alternative, and conf.level are input into the [getTSalpha](#) function to output a tsalpha vector. The tsalpha vector allows the nominal error to be different on each side. For details see [getTSalpha](#).

For designAb, when you do not want to stop on the lower or upper boundary at any value of Nk, the associated value of a (lower) or b (upper) should be NA.



The `design0BF` function calculates a boundary that stops whenever the B-value (Lan and Wittes, 1988) is larger than one cutoff value or smaller than a different cutoff value. The cutoff values are chosen so that the probability of spending alpha on the appropriate side is almost all spent while still rejecting at at least one end value of the boundary.

The function `design0BFpower` repeatedly calls `design0BF` and finds the design that gives sufficient power under a given alternative. Specifically, by setting `Nmax` to `Nmaxi` in `design0BF`, where `Nmaxi` is increased by 1 at each iteration. The initial `Nmaxi` is either the first `N` that gives a large enough power in the fixed sample size design (`allNgreater==FALSE`) or the first `N` such that all larger `N` will give enough power for fixed samples (`allNgreater==TRUE`). On the (`checkmax`)th iteration, check that the power will be large enough when `Nmaxi` equals `Nmax` (from `design0BFpower` call). So if you set `checkmax=1` then you will check the largest value of `Nmax` first, but this may be inefficient since larger values of `Nmax` in the `obf` call are slower.

See Kirk and Fay (2014) for an introductory paper about exact binary sequential tests using the `binseqtest` package.

### Value

a object of class `boundEst`

### References

Kirk, J, and Fay, MP (2014). An Introduction to Practical Sequential Inferences via Single Arm Binary Response Studies Using the `binseqtest` R Package. (to appear in American Statistician).

Lan, KKG, and Wittes, J (1988). The B-Value: A Tool for Monitoring Data. *Biometrics* 44:579-585.

Simon R. (1989). Optimal Two-Stage Designs for Phase II Clinical Trials. *Controlled Clinical Trials* 10, 1-10.

---

EN

*Expected sample size for boundary.*

---

### Description

Calculate expected sample size for `bound` object, after inputing `theta`.

### Usage

```
EN(object, theta = 0.6)
```

### Arguments

<code>object</code>	a object representing a binary sequential class ( <code>bound-class</code> )
<code>theta</code>	a vector of parameters representing the probability of a success

### Value

a vector of expected sample sizes associated with the `theta` argument.

**See Also**

See Also [powerBsb](#)

**Examples**

```
B<-designAb(Nk=c(20,40),a=c(5),b=c(15),theta=.5)
En<-EN(B,theta=c(.1,.5,.6))
En
```

---

getTSalpha

*Two-sided alpha, alternative, and confidence level*

---

**Description**

Two functions to find tsalpha and alternative.

**Usage**

```
getTSalpha(tsalph = NULL, alternative = NULL, conf.level = NULL)
getAlternative(tsalph)
```

**Arguments**

tsalph	vector of length 2 with nominal significance levels for each side, if not NULL overrides conf.level and alternative (see details)
conf.level	confidence level, ignored if tsalph is not NULL
alternative	character, alternative hypothesis, either 'less', 'greater' or 'two.sided'

**Details**

The tsalph is a vector of length 2 giving the nominal error for each side of confidence intervals. The function getTSalpha creates a tsalph vector, allowing its creation either directly (non-null input for the argument tsalph simply outputs that same argument), or through the alternative and conf.level arguments. The element tsalph[1] is the nominal error on the lower side, so for example if tsalph=NULL, alternative='greater', and conf.level=.95, then getTSalpha outputs the vector c(0.05,0). In other words, if on rejection you want to conclude that  $\theta > \theta_0$ , then you want all the nominal error to be on the lower side. Similarly tsalph[2] is the nominal error on the upper side, and tsalph=NULL, alternative='less', and conf.level=.95, gives c(0,0.05). If tsalph=NULL, alternative='greater', and conf.level=.95, then outputs the vector c(0.025,0.025). You must supply either tsalph or both alternative and conf.level.

**Value**

getTSalpha returns a tsalph vector (see details), and getAlternative gives the character vector for the appropriate alternative.

**Examples**

```
getTSalpha(conf.level=.95,alternative="two.sided")
getAlternative(c(0,.025))
```

---

modify	<i>Modify binary sequential boundary</i>
--------	--

---

**Description**

Modify several different aspects of a binary sequential boundary. Most modifications do not change the stopping boundaries. The exceptions are 'missN', which allows modifications for missing assessments, and 'closeout', which allows for early stopping of the trial for administrative reasons (i.e., reasons that do not depend on the responses in the trial). Other modifications possible: level of the confidence intervals (using `tsalpha`, `conf.level`, or `alternative`), which boundaries are binding (i.e., can change from a boundary with binding futility boundaries to one with non-binding futility boundaries), null hypothesis value (`theta0`), and whether the confidence intervals should match the non-binding futility p-values on the superiority boundaries (`cipMatch`).

**Usage**

```
modify(b, missN = NULL, theta0 = NULL, tsalpha = NULL,
       conf.level = NULL, alternative = NULL, cipMatch = TRUE,
       binding = NULL, closeout=NULL, ...)
```

**Arguments**

<code>b</code>	an object of class <a href="#">boundEst</a>
<code>missN</code>	a vector of missed assessments
<code>theta0</code>	null hypothesis probability of success
<code>tsalpha</code>	vector of length 2 with nominal significance level, if not NULL overrides <code>conf.level</code> and <code>alternative</code>
<code>conf.level</code>	confidence level, ignored if <code>tsalpha</code> is not NULL
<code>alternative</code>	character, alternative hypothesis, either 'less', 'greater' or 'two.sided'
<code>cipMatch</code>	logical, for non-binding futility boundaries, should CI match the p-values on the binding boundary
<code>binding</code>	character, which sides are binding: 'both', 'upper', or 'lower'
<code>closeout</code>	total number of trials at early closeout
<code>...</code>	other parameters passed

**Value**

an object of class [boundEst](#)

**Examples**

```
b<-designOBF(50)
bmod<-modify(b,missN=30:36)
par(mfrow=c(2,1))
plot(b)
plot(bmod)
```

---

plot-methods

---

*Methods for Function plot and points in Package **binseqtest***


---

**Description**

Plot binary sequential boundaries for "boundEst" objects.

**Usage**

```
## S4 method for signature 'boundEst,missing'
plot(x,
      rcol = c(orange = "#E69F00", blue = "#56B4E9", green = "#009E73"),
      rpch = c(openCircle=1, filledCircle=16, filledDiamond=18),
      bplotype = "NS",
      newplot = TRUE, dtext=NULL, grid=50, xlab=NULL, ylab=NULL, ...)

## S4 method for signature 'boundEst'
points(x, ...)
```

**Arguments**

x	an object of class "boundEst"
rcol	rejection color vector, rcol[1]=fail to reject, rcol[2]=reject, conclude $\theta > \theta_0$ , rcol[3]=reject, conclude $\theta < \theta_0$ (see details)
rpch	rejection pch vector, correspond to same categories as rcol vector
bplotype	character, either 'NS' (default), 'FS', 'NB', 'NZ', or 'NE' (see details)
newplot	logical, should a new plot be started? if FALSE add to existing plot (only makes sense to add to plot with the same bplotype)
dtext	logical, add descriptive text? if NULL only adds text when newplot=TRUE (used for bplotype='NS' or 'FS')
grid	numeric, if maximum possible total trials $\leq$ grid then add gridlines (used for bplotype='NS' or 'FS')
xlab	title for x axis, if NULL value depends on bplotype
ylab	title for y axis, if NULL value depends on bplotype
...	other arguments to the plot function can be passed here.

## Details

The default rcol vector are good colors for distinguishing for those with color blindness. Text is printed on the unused portion of the plot, which uses the color names taken from the rcol vector names.

There are several different types of plots, selected by the `bplottype` argument, where the value is a character string with 2 characters, the first representing the x-axis and the second representing the y-axis. For example `bplottype='NS'` denotes N=total number of trials on the horizontal axis, and S=number of successes on the vertical axis. Other plots are: 'FS'=failure by successes; 'NB'=total by B-values; 'NZ'=total by Z-scores; 'NE'=total by estimates and confidence intervals. The type 'NE' is only defined if there are only 1 value for each N on the upper and 1 value for each N on the lower part of the boundary. Otherwise, the confidence intervals would overlap and be uninformative. For 'NE' the end of the boundary is not plotted because of that overlapping.

For some examples, see plot section of the vignette. The method `points` just calls `plot(x, newPlot=FALSE, ...)`.

## Methods

`signature(x = "ANY", y = "ANY")` Generic function: see [plot](#).

`signature(x = "boundEst", y = "missing")` Plot binary sequential boundaries for x.

`signature(x = "ANY")` Generic function: see [points](#).

`signature(x = "boundEst")` Add points associated with the binary sequential boundaries for x to a plot.

## Examples

```
b<-designOBF(50,theta0=.5)
plot(b,bplottype="NE")
plot(b)
b2<-designFixed(49,theta0=.5)
points(b2,rpch=c(17,17,17))
```

---

powerBsb

*Power for binary sequential boundary*

---

## Description

Calculate power from [boundEst](#) object for vector of alternatives

## Usage

```
powerBsb(object, theta = 0.6, alternative = NULL)
```

**Arguments**

object	a 'boundEst' object
theta	vector of theta values, probability of success
alternative	character, either 'two.sided', 'less', or 'greater'

**Details**

Power to reject. For alternative='greater' reject when  $pU < \alpha[\text{'alphaUpper'}]$ , and for alternative='less' reject when  $pL < \alpha[\text{'alphaLower'}]$ . For alternative='two.sided' if  $\theta[i] > \theta_0$  reject when  $pU < \alpha[\text{'alphaUpper'}]$ , if  $\theta[i] < \theta_0$  reject when  $pL < \alpha[\text{'alphaLower'}]$ , if  $\theta[i] = \theta_0$  and  $\alpha[\text{'alphaUpper'}] \leq \alpha[\text{'alphaLower'}]$  reject when  $pU < \alpha[\text{'alphaUpper'}]$ , and if  $\theta[i] = \theta_0$  and  $\alpha[\text{'alphaUpper'}] > \alpha[\text{'alphaLower'}]$  reject when  $pL < \alpha[\text{'alphaLower'}]$ .

**Value**

a vector with power associated with the parameter vector theta

**Examples**

```
B<-designAb(Nk=c(20,40),a=10,theta0=.4)
powerBsb(B,theta=c(.1,.4,.8),alternative="less")
```

---

prStop

*Probability of Stopping*


---

**Description**

Calculates the probability of stopping at any point in a binary sequential boundary.

**Usage**

```
prStop(object, theta = NULL)
```

**Arguments**

object	an object of class <code>boundEst</code>
theta	probability of a positive response

**Value**

A list with the following elements

B	the boundEst object inputted
Nupper	vector of N values for stopping on upper boundary
dStopUpper	vector of probabilities for stopping at each value of Nupper
pStopUpper	vector of cumulative probabilities for stopping by each value of Nupper

NLower	vector of N values for stopping on lower boundary
dStopLower	vector of probabilities for stopping at each value of NLower
pStopLower	vector of cumulative probabilities for stopping by each value of NLower
Nend	N value at the end of the boundary, i.e., max(N)
dStopEnd	probability of stopping at the end of the boundary
check	check value, should be 1 or very close to it

**See Also**

[powerBsb](#)

**Examples**

```
b<-designOBF(20,theta0=.5)
prStop(b,theta=.5)
```

---

stopTable	<i>Create data frame with statistics for stopping boundary</i>
-----------	--

---

**Description**

Takes boundEst object and creates data frame with p-values and confidence intervals for stopping points between Nmin and Nmax.

**Usage**

```
stopTable(object, Nrange = c(0,Inf),
          Srange=c(0,Inf),output="all",file="stopTableOutput.csv")
```

```
## S3 method for class 'stopTable'
print(x,digits=c(3,5),maxnprint=Inf,...)
```

**Arguments**

object	object of class <a href="#">boundEst</a>
Nrange	numeric vector, range of total trials to output boundary points (see details)
Srange	numeric vector, range of successes to output boundary points (see details)
output	character, type of output, 'all', 'csv', or 'print'
file	character, name of file to output comma separated file
x	object of class 'stopTable'
digits	vector of length 1 or 2, first element is digits to print for estimates and confidence intervals (and p-values if length(digits)=1), second element is digits for p-values
maxnprint	number of rows to print from the table
...	additional arguments to be passed to print function, not needed

**Details**

Create table with statistics at selected stopping points. The arguments `Nrange` and `Srange` select which points to output. If `Nrange` and `Srange` is of length 2, then the function selects output within the ranges of the associated `N` and `S` values. If `Nrange` and `Srange` is of length 1, then the function selects only output with exactly the specified values. Note that because `Nrange` is the only argument that starts with 'N', then `stopTable(object, N=41)` and `stopTable(object, Nrange=41)` are equivalent. Output is a `stopTable` object (default), a `data.frame` (`output='data.frame'`), or a `.csv` file (`output='csv'`). The `print.stopTable` function is an S3 print function for `stopTable` objects, i.e., it determines the default printing to screen for those objects.

**Value**

Either a `stopTable` object, a `data.frame`, or a `.csv` file. The `stopTable` object is a list with elements

<code>conf.level</code>	confidence level=1-lowerError-upperError
<code>lowerError</code>	c.i. error on lower side
<code>upperError</code>	c.i. error on upper side
<code>nullTheta</code>	probability of success under null hypothesis
<code>binding</code>	character, which boundaries are binding: 'both', 'lower', or 'upper'
<code>alternative</code>	character, alternative hypothesis either 'two.sided', 'less', or 'greater'
<code>table</code>	a <code>data.frame</code> with variables, <code>S</code> , <code>N</code> , <code>estimate</code> , <code>lower</code> (confidence limit), <code>upper</code> (confidence limit), <code>pL</code> (lower one-sided p-value), <code>pU</code> (upper one-sided p-value), <code>pts</code> (two-sided p-value), and <code>UL</code> (character giving part of the boundary: 'lower', 'upper', or 'end')

The `data.frame` (or `.csv` file) returns the `table` element of the `stopTable` with the other elements added as variables (or columns).

---

 summary-methods

*Methods for Function summary in Package **binseqtest***


---

**Description**

Objects of class `boundEst` have a summary method. It basically calls `stopTable(object)`

**Methods**

`signature(object = "ANY")` Gives a summary of object, usually a little more calculations than associated with `print` or `show`

`signature(object = "boundEst")` calls `stopTable(object, output='print')`



---

unirootDiscrete      *Identify where a non-increasing function changes sign*

---

**Description**

Let  $f$  be a non-increasing (or non-decreasing) function that changes sign within the interval specified. If 'pos.side'=TRUE (or FALSE) then unirootDiscrete finds the value  $x$  such that  $f(x)$  is closest to the sign change and is positive (or negative).

**Usage**

```
unirootDiscrete(f, interval, lower = min(interval),
               upper = max(interval), tol = 10^-5, pos.side = FALSE,
               print.steps = FALSE, maxiter = 1000, ...)
```

**Arguments**

<code>f</code>	function for which a root is needed
<code>interval</code>	an interval giving minimum and maximum allowable values for root
<code>lower</code>	lower bound for root
<code>upper</code>	upper bound for root
<code>tol</code>	absolute tolerance, $\text{abs}(\text{true root}-\text{estimated root}) \leq \text{tol}$
<code>pos.side</code>	if TRUE finds value $x$ closest to the sign change in $f$ , such that $f(x) > 0$
<code>print.steps</code>	if true prints iterations
<code>maxiter</code>	maximum number of iterations
<code>...</code>	additional arguments to $f$

**Details**

The algorithm evaluates  $f(x)$  iteratively, and the change in 'x' is halved each iteration until the change in 'x' is less than  $\text{tol}$ . Then the root is returned according to the `pos.side` parameter.

**Value**

A list with the following elements,

<code>iter</code>	number of iterations (times $f$ is evaluated)
<code>f.root</code>	value of $f(x)$ , where $x$ is the root
<code>root</code>	the root $x$ , where $f(x) \geq 0$ if <code>pos.side=TRUE</code>
<code>...</code>	

**Author(s)**

M.P. Fay

**Examples**

```
test<-function(x,param=10.987654321){ ifelse(x>=param,1,-1) }  
unirootDiscrete(test,lower=0,upper=100,tol=10^-4,pos.side=FALSE,print.steps=TRUE)
```

# Index

- \*Topic **\textasciitildekwd1**
  - designOBF, 7
  - EN, 9
- \*Topic **\textasciitildekwd2**
  - designOBF, 7
- \*Topic **htest**
  - modify, 11
- \*Topic **math**
  - unirootDiscrete, 17
- \*Topic **methods**
  - analyze-methods, 4
  - plot-methods, 12
  - summary-methods, 16
- \*Topic **package**
  - binseqtest-package, 2
  
- abBindBothCalcK (binseqtest-internal), 4
- abCalcK (binseqtest-internal), 4
- abparms (bound-class), 6
- abparms-class (bound-class), 6
- abtoBound (binseqtest-internal), 4
- analyze, 3, 4
- analyze, abparms-method
  - (analyze-methods), 4
- analyze, ANY-method (analyze-methods), 4
- analyze, bound-method (analyze-methods), 4
- analyze, boundNBF-method
  - (analyze-methods), 4
- analyze-methods, 4
- analyzeBound (analyze), 3
- analyzeBoundNBF (analyze), 3
  
- binseqtest (binseqtest-package), 2
- binseqtest-internal, 4
- binseqtest-package, 2
- bound, 9
- bound (bound-class), 6
- bound-class, 6
- boundEst, 9, 11, 13–16
  
- boundEst (bound-class), 6
- boundEst-class (bound-class), 6
- boundNBF (bound-class), 6
- boundNBF-class (bound-class), 6
  
- ciCalc (binseqtest-internal), 4
  
- designAb (designOBF), 7
- designFixed (designOBF), 7
- designFixedpower (designOBF), 7
- designOBF, 2, 3, 7
- designOBFpower (designOBF), 7
- designSimon (designOBF), 7
  
- EN, 9
  
- getAlternative (getTSalpha), 10
- getTSalpha, 8, 10
  
- missNAbparms (binseqtest-internal), 4
- modify, 2, 11
  
- pCalc (binseqtest-internal), 4
- ph2simon, 7
- plot, 13
- plot, boundEst, ANY-method
  - (plot-methods), 12
- plot, boundEst, missing-method
  - (plot-methods), 12
- plot-methods, 12
- points, 13
- points, ANY-method (plot-methods), 12
- points, boundEst-method (plot-methods), 12
- points-methods (plot-methods), 12
- powerBsb, 10, 13, 15
- print.stopTable (stopTable), 15
- prStop, 14
  
- stopTable, 15
- summary, ANY-method (summary-methods), 16

summary, boundEst-method  
    (summary-methods), [16](#)  
summary-methods, [16](#)  
  
unirootDiscrete, [17](#)  
  
validAbparms (binseptest-internal), [4](#)  
validBound (binseptest-internal), [4](#)  
validBoundEst (binseptest-internal), [4](#)  
validBoundNBF (binseptest-internal), [4](#)