

Package ‘errint’

January 23, 2017

Type Package

Title Builds Error Intervals

Version 1.0

Date 2017-01-22

Author Jesus Prada [aut,cre]

Maintainer Jesus Prada <jesus.prada@estudiante.uam.es>

Description Builds and analyzes error intervals for a particular model predictions assuming different distributions for noise in the data.

Depends VGAM, rootSolve

License GPL-2

LazyData TRUE

BuildVignettes TRUE

RoxygenNote 5.0.1

URL http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

NeedsCompilation no

Repository CRAN

Date/Publication 2017-01-23 06:35:35

R topics documented:

acc_intervals	2
best_distribution	3
df_intervals	4
df_intervals.default	6
error_interval	7
error_interval.default	8
int_lap	9
measure	12
measure.default	13
print.df_intervals	14

print.error_interval	15
print.measure	16
print.summary.error_interval	17
print.summary.measure	18
p_laplace	19
sort_distributions	21
summary.error_interval	22
summary.measure	23

Index	25
--------------	-----------

acc_intervals	<i>Accuracy of Error intervals</i>
----------------------	------------------------------------

Description

`int_intervals` computes the real accuracy of a given error intervals for a particular set of errors and a particular error function.

Usage

```
acc_intervals(interv, errors, f = function(x, y) {      abs(x - y) },
             tol = 10^-8)
```

Arguments

<code>interv</code>	error interval.
<code>errors</code>	set of errors.
<code>f</code>	error function to be used to compute error between real <code>x</code> (<code>interv</code>) and predicted <code>y</code> (<code>errors</code>) values. See also 'Details'.
<code>tol</code>	used to normalize residual values to (0,1) when beta is the assumed distribution. See also 'Details'.

Details

`f` must be a function that takes two arguments, `x` and `y`, and return a numeric value.

The formula used to normalize residual values to (0,1) when a Beta distribution is assumed is $\frac{|\phi|}{\max|\phi|+tol}$.

Value

Returns an object of class `c("measure", "list")` with information of the interval accuracy.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[measure_error_interval](#)

Examples

```
interv<-int_gau(rnorm(10),0.1)
acc_intervals(interv,rnorm(10))
acc_intervals(interv,rnorm(10),function(x,y){x-y})
```

best_distribution *Distribution with Best Error Intervals*

Description

best_distribution computes the distribution assumption that gives error intervals with the lower accuracy error for a given set of residuals.

Usage

```
best_distribution(phi, errors, dists = c("n", "nm", "l", "lm", "w", "b",
"moge"), ...)
```

Arguments

phi	residual values used to compute the error interval.
errors	set of real errors corresponding to the predictions of a particular model.
dists	character vector with the distribution assumptions to test. See also 'Details'.
...	additional arguments to be passed to functions <code>error_interval</code> and <code>acc_intervals</code> .

Details

Allowed distribution assumptions are:

- "n": Zero-mu Gaussian
- "nm": General Gaussian
- "l": Zero-mu Laplace

- "lm": General Laplace
- "b": Beta
- "w": Weibull
- "moge": Moge

Value

Returns an object of class c("df_intervals", "data.frame") with information of the distribution assumption with lower accuracy error.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[df_intervals](#) [error_interval](#) [acc_intervals](#)

Examples

```
best_distribution(rnorm(10), rnorm(10), dists=c("n", "b"))
```

df_intervals

Data Frames of Intervals

Description

df_intervals creates an object of class c("df_intervals", "data.frame").

as.df_intervals attempts to coerce its argument *x* into an object of class c("df_intervals", class(*x*)). If this is not possible *x* is returned unchanged.

is.df_intervals returns TRUE if *x* is an R object with "df_intervals" as one of its classes. It returns FALSE otherwise.

Usage

```
df_intervals(distributions, errs)

as.df_intervals(x)

is.df_intervals(x)
```

Arguments

- distributions vector containing the names of the distribution correspondind to each error.
errs vector of errors associated to intervals built under a particular distribution assumption indicated by 'distributions'.
x an R object.

Value

- `df_intervals` returns an object of class `c("df_intervals", "data.frame")` with information regarding the error of intervals built under different distribution assumptions.
`as.df_intervals` returns an object of class `c("df_intervals", class(x))` with information contained in `x` if possible. Returns `x` otherwise.
`is.df_intervals` returns TRUE if `x` is an R object with "`df_intervals`" as one of its classes. FALSE otherwise.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

- Link to the scientific paper
Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,
with theoretical background for this package is provided below.
http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

Examples

```
df_intervals("l",0.1)

df_intervals(c("l","lm","n","nm","b","w"),rep(0.1,6))

df<-data.frame(distribution=rnorm(10),error=rnorm(10))
as.df_intervals(df)

v<-c("a","b")
as.df_intervals(v)
```

```
df<-data.frame(distribution=rnorm(10),error=rnorm(10))
is.df_intervals(df)
res<-as.df_intervals(df)
is.df_intervals(res)
```

df_intervals.default Data Frames of Intervals

Description

`df_intervals` creates an object of class `c("df_intervals", "data.frame")`.

Usage

```
## Default S3 method:
df_intervals(distributions, errs)
```

Arguments

<code>distributions</code>	vector containing the names of the distribution correspondind to each error.
<code>errs</code>	vector of errors associated to intervals built under a particular distribution assumption indicated by 'distributions'.

Value

Returns an object of class `c("df_intervals", "data.frame")` with information regarding the error of intervals built under different distribution assumptions.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

Examples

```
df_intervals("l",0.1)

df_intervals(c("l","lm","n","nm","b","w"),rep(0.1,6))
```

error_interval	<i>Error Intervals</i>
----------------	------------------------

Description

`error_interval` creates an object of class `c("error_interval", "list")`.
`as.error_interval` attempts to coerce its argument `x` into an object of class `c("error_interval", class(x))`. If this is not possible `x` is returned unchanged.
`is.error_interval` returns TRUE if `x` is an R object with "error_interval" as one of its classes. It returns FALSE otherwise.

Usage

```
error_interval(phi, s = 0.05, dist = "n", tol = 10^-6, ...)  
as.error_interval(x)  
is.error_interval(x)
```

Arguments

<code>phi</code>	a vector with residual values used to compute the error interval.
<code>s</code>	confidence level, e.g. <code>s=0.05</code> for the standard 95 percent confidence interval.
<code>dist</code>	assumed distribution for the noise in the data.
<code>tol</code>	used to normalize residual values to (0,1) when beta is the assumed distribution. The formula used is <code>abs(phi)/(max(abs(phi))+tol)</code> .
<code>...</code>	additional arguments to be passed to the low level <code>error_interval</code> building functions (see below).
<code>x</code>	an R object.

Value

`error_interval` returns an object of class `c("error_interval", "list")` with information regarding the error intervals built.
`as.error_interval` returns an object of class `c("error_interval", class(x))` with information contained in `x` if possible. Returns `x` otherwise.
`is.error_interval` returns TRUE if `x` is an R object with "error_interval" as one of its classes. FALSE otherwise.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

Examples

```
error_interval(rnorm(10))

error_interval(rnorm(10), s=0.1, dist="lm")

l<-list(min=-1, max=1, err=0.05, s=0.1, dist="n", phi=rnorm(10))
as.error_interval(l)

v<-c("a", "b")
as.error_interval(v)

l<-list(min=-1, max=1, err=0.05, s=0.1, dist="n", phi=rnorm(10))
is.error_interval(l)
res<-as.error_interval(l)
is.error_interval(res)
```

error_interval.default
Error Intervals

Description

`error_interval.default` creates an object of class `c("error_interval", "list")`.

Usage

```
## Default S3 method:
error_interval(phi, s = 0.05, dist = "n", tol = 10^-6,
...)
```

Arguments

<code>phi</code>	a vector with residual values used to compute the error interval.
<code>s</code>	confidence level, e.g. <code>s=0.05</code> for the standard 95 percent confidence interval.
<code>dist</code>	assumed distribution for the noise in the data.

tol	used to normalize residual values to (0,1) when beta is the assumed distribution. The formula used is $\text{abs}(\phi)/(\max(\text{abs}(\phi))+\text{tol})$.
...	additional arguments to be passed to the low level error_interval building functions (see below).

Value

Returns an object of class c("error_interval", "list") with information regarding the error intervals built.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

Examples

```
error_interval(rnorm(10))

error_interval(rnorm(10), s=0.1, dist="lm")
```

int_lap

Building Error Intervals

Description

int_lap computes the error interval of a set of residuals assuming a Laplace distribution with zero location for the noise.

int_gau computes the error interval of a set of residuals assuming a Gaussian distribution with zero mean for the noise.

int_lap_mu computes the error interval of a set of residuals assuming a Laplace distribution.

int_gau_mu computes the error interval of a set of residuals assuming a Gaussian distribution.

int_beta computes the error interval of a set of residuals assuming a Beta distribution.

int_weibull computes the error interval of a set of residuals assuming a Weibull distribution.

See also 'Details'.

int_moge computes the error interval of a set of residuals assuming a MOGE distribution.

Usage

```

int_lap(phi, s)

int_gau(phi, s, ps = 0, threshold = 10^-2, upper = 10^6)

int_lap_mu(phi, s, ps = stats::median(phi, na.rm = T), threshold = 10^-2,
upper = 10^6)

int_gau_mu(phi, s, ps = mean(phi, na.rm = T), threshold = 10^-2,
upper = 10^6)

int_beta(phi, s, original_phi = phi, ps = 10^-4, threshold = 10^-4,
upper = 1, m1 = mean(phi, na.rm = T), m2 = mean(phi^2, na.rm = T),
alpha_0 = (m1 * (m1 - m2))/(m2 - m1^2), beta_0 = (alpha_0 * (1 - m1)/m1))

int_weibull(phi, s, ps = 10^-4, threshold = 10^-2, upper = 10^6,
k_0 = 1)

int_moge(phi, s, ps = 10^-4, threshold = 10^-4, upper = 10^6,
lambda_0 = 1, alpha_0 = 1, theta_0 = 1)

```

Arguments

<code>phi</code>	residual values used to compute the error interval.
<code>s</code>	confidence level, e.g. <code>s=0.05</code> for the standard 95 percent confidence interval.
<code>ps</code>	minimum value to search for solution of the integral equation to solve. See also 'Details'.
<code>threshold</code>	step size to increase <code>ps</code> after each iteration. See also 'Details'.
<code>upper</code>	maximum value to search for solution of the integral equation to solve. See also 'Details'.
<code>original_phi</code>	original $\{\phi_i\}$ values. Only used for beta distribution.
<code>m1</code>	first moment of the residuals. Used to compute <code>alpha_0</code> .
<code>m2</code>	second moment of the residuals. Used to compute <code>beta_0</code> .
<code>alpha_0</code>	initial value for Newton-Raphson method for the parameter α . See also 'Details' and multiroot .
<code>beta_0</code>	initial value for Newton-Raphson method for the parameter β . See also 'Details' and multiroot .
<code>k_0</code>	initial value for Newton-Raphson method for the parameter κ . See also 'Details' and multiroot .
<code>lambda_0</code>	initial value for Newton-Raphson method for the parameter λ .
<code>theta_0</code>	initial value for Newton-Raphson method for the parameter θ .

Details

For the Zero- μ Laplace distribution the value of the corresponding integral equation has a closed solution of the form $ps = -\sigma \log 2s$.

For the other distributions, starting with the initial value of ps passed as argument, the value, integral, of the corresponding integral expression is computed (see also 'References' for an in-depth explanation of this integral expression). If integral is smaller than 1-s then ps is increased by a step size of threshold value and integral is recomputed. If integral is greater or equal than 0 or if ps gets bigger than upper, the loop stops and the last value of ps will be its final value.

In addition, for the Beta distribution values of parameters α and β are estimated using Newton-Raphson method.

For the Weibull distribution value of parameter κ is estimated using Newton-Raphson method and then estimated value of λ is computed using a closed form that depends on κ .

For the MOGE distribution values of parameters λ , α and θ are estimated using Newton-Raphson method.

See also 'References'.

Value

Returns an object of class c("error_interval", "list") with information of the corresponding error interval.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[error_interval](#)
[p_laplace](#)
[p_gaussian](#)
[p_beta](#)
[p_weibull](#)
[multiroot](#)
[p_moge](#)

Examples

```
int_lap(rnorm(10),0.1)

int_gau(rnorm(10),0.1,0.1,10^-3,10^2)

int_lap_mu(rnorm(10),0.1,0.1,10^-3,10^2)

int_gau_mu(rnorm(10),0.1,0.1,10^-3,10^2)

int_beta(runif(10,0,0.99),0.1,alpha_0=1,beta_0=1)

int_weibull(abs(rnorm(10)),0.1,k_0=2)

int_moge(runif(10,0.01,0.99),0.1,lambda_0=2,alpha_0=3,theta_0=4)
```

measure

Measures

Description

`measure` creates an object of class `c("measure", "list")`.

`as.measure` attempts to coerce its argument `x` into an object of class `c("measure", class(x))`. If this is not possible `x` is returned unchanged.

`is.measure` returns TRUE if `x` is an R object with "measure" as one of its classes. It returns FALSE otherwise.

Usage

```
measure(s, acc, f = function(x, y) {      abs(x - y) })

as.measure(x)

is.measure(x)
```

Arguments

- | | |
|------------------|---|
| <code>s</code> | confidence level, e.g. <code>s=0.05</code> for the standard 95 percent confidence interval. |
| <code>acc</code> | accuracy achieved by error intervals. |
| <code>f</code> | function used to compute error of intervals. See also 'Details'. |
| <code>x</code> | an R object. |

Value

`measure` returns an object of class `c("measure", "list")` with information regarding the error of a set of intervals.

`as.measure` returns an object of class `c("measure", class(x))` with information contained in `x` if possible. Returns `x` otherwise.

`is.measure` returns TRUE if `x` is an R object with "`measure`" as one of its classes. FALSE otherwise.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

Examples

```
measure(0.1,0.7)

measure(0.1,0.7,function(x,y){y-x})

l<-list(s=0.1,acc=0.78,f=function(x,y){abs(x-y)},err=0.02)
as.measure(l)

v<-c("a","b")
as.measure(v)

l<-list(s=0.1,acc=0.78,f=function(x,y){abs(x-y)},err=0.02)
is.measure(l)
res<-as.measure(l)
is.measure(res)
```

Description

`measure` creates an object of class `c("measure", "list")`.

Usage

```
## Default S3 method:
measure(s, acc, f = function(x, y) {      abs(x - y) })
```

Arguments

s	confidence level, e.g. s=0.05 for the standard 95 percent confidence interval.
acc	accuracy achieved by error intervals.
f	function used to compute error of intervals. See also 'Details'.

Value

Returns an object of class c("measure", "list") with information regarding the error of a set of intervals.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

Examples

```
measure(0.1,0.7)

measure(0.1,0.7,function(x,y){y-x})
```

print.df_intervals *Printing Data Frames of Intervals*

Description

print objects of class df_interval.

Usage

```
## S3 method for class 'df_intervals'
print(x, ...)
```

Arguments

- x object of class df_interval to be printed.
- ... optional arguments.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[df_intervals](#)

Examples

```
res<-df_intervals(c("l","lm","n","nm","b","w"),rep(0.1,6))
print(res)
```

print.error_interval *Printing Error Intervals*

Description

print objects of class error_interval.

Usage

```
## S3 method for class 'error_interval'
print(x, ...)
```

Arguments

- x object of class error_interval to be printed.
- ... optional arguments.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[error_interval](#)

Examples

```
res<-error_interval(rnorm(10))
print(res)
```

print.measure

Printing Measures

Description

print objects of class **measure**.

Usage

```
## S3 method for class 'measure'
print(x, ...)
```

Arguments

x	object of class measure to be printed.
...	optional arguments.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also[measure](#)**Examples**

```
res<-measure(0.1,0.7)
print(res)
```

print.summary.error_interval
Printing Error Intervals Summaries

Description

print objects of class `summary.error_interval`.

Usage

```
## S3 method for class 'summary.error_interval'
print(x, ...)
```

Arguments

x object of class `summary.error_interval` to be printed.
... optional arguments.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also[summary error_interval](#)**Examples**

```
res<-error_interval(rnorm(10))
summary(res)
```

print.summary.measure *Printing Measures Summaries*

Description

print objects of class `summary.measure`.

Usage

```
## S3 method for class 'summary.measure'  
print(x, ...)
```

Arguments

`x` object of class `summary.measure` to be printed.
`...` optional arguments.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[summary measure](#)

Examples

```
res<-measure(0.1,0.7)  
summary(res)
```

p_laplace*Probability Density Functions*

Description

p_laplace computes the probability density function of a random variable that has a Laplace distribution with parameters μ and σ .

p_gaussian computes the probability density function of a random variable that has a Gaussian distribution with parameters μ and σ^2 .

p_beta computes the probability density function of a random variable that has a Beta distribution with parameters α and β .

p_weibull computes the probability density function of a random variable that has a Weibull distribution with parameters κ and λ .

p_moge computes the probability density function of a random variable that has a MOGE distribution with parameters λ, α and θ .

Usage

```
p_laplace(x, mu = 0, sigma = 1)

p_gaussian(x, mu = 0, sigma_cuad = 1)

p_beta(x, alpha = 1, beta = 1)

p_weibull(x, k = 1, lambda = 1)

p_moge(x, lambda = 1, alpha = 1, theta = 1)
```

Arguments

x	vector of points which values we want to compute.
mu	location or mean parameter of the Laplace or Gaussian distribution, respectively.
sigma	scale parameter of the Laplace distribution.
sigma_cuad	variance parameter of the Gaussian distribution.
alpha	shape1 parameter of the Beta distribution or second parameter of the MOGE distribution.
beta	shape2 parameter of the Beta distribution.
k	shape parameter of the Weibull distribution.
lambda	scale parameter of the Weibull distribution or first parameter of the MOGE distribution.
theta	third parameter of the MOGE distribution.

Value

Returns a numeric object corresponding to the value of the probability density function for the given x and distribution parameters.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[dlaplace](#)

[dnorm](#)

[dbeta](#)

[dweibull](#)

Examples

```
p_laplace(0.3)
p_laplace(0.3,mu=0.35,sigma=0.2)
```

```
p_gaussian(0.3)
p_gaussian(0.3,mu=0.35,sigma_cuad=0.2)
```

```
p_beta(0.3)
p_beta(0.3,alpha=0.35,beta=0.2)
```

```
p_weibull(0.3)
p_weibull(0.3,k=0.35,lambda=0.2)
```

```
p_moge(0.3)
p_moge(0.3,lambda=0.2,alpha=0.3,theta=0.4)
```

sort_distributions *Sort Distributions by Better Error Intervals*

Description

`sort_distributions` orders a given set of distribution assumptions in order of intervals accuracy error in ascending or descending order.

Usage

```
sort_distributions(phi, errors, dists = c("n", "nm", "l", "lm", "w", "b",
  "moge"), decreasing = FALSE, ...)
```

Arguments

<code>phi</code>	residual values used to compute the error interval.
<code>errors</code>	set of real errors corresponding to the predictions of a particular model.
<code>dists</code>	character vector with the distribution assumptions to test. See also 'Details'.
<code>decreasing</code>	logical, indicating whether or not distributions should be ordered by decreasing accuracy error.
<code>...</code>	additional arguments to be passed to functions <code>error_interval</code> and <code>acc_intervals</code> .

Details

Allowed distribution assumptions are:

- "n": Zero-mu Gaussian
- "nm": General Gaussian
- "l": Zero-mu Laplace
- "lm": General Laplace
- "b": Beta
- "w": Weibull
- "moge": Moge

Value

Returns an object of class `c("df_intervals", "data.frame")` with information of the distribution assumptions ordered by accuracy error.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[df_intervals](#) [error_interval](#) [acc_intervals](#) [order](#)

Examples

```
sort_distributions(rnorm(10), rnorm(10), decreasing=TRUE)
```

summary.error_interval

Error Intervals Summaries

Description

`summary` produces summaries for objects of class `error_interval`.

Usage

```
summary.error_interval(object, ...)
```

Arguments

- object object of class `error_interval` to be printed.
- ... optional arguments.

Value

Object of class `c("summary.error_interval", "list")` corresponding to the summary of `x`.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[error_interval](#)

Examples

```
res<-error_interval(rnorm(10))
summary(res)
```

summary.measure *Measures Summaries*

Description

summary produces summaries for objects of class measure.

Usage

```
summary.measure(object, ...)
```

Arguments

object	object of class measure to be printed.
...	optional arguments.

Value

Object of class c("summary.measure", "list") corresponding to the summary of x.

Author(s)

Jesus Prada, <jesus.prada@estudiante.uam.es>

References

Link to the scientific paper

Prada, Jesus, and Jose Ramon Dorronsoro. "SVRs and Uncertainty Estimates in Wind Energy Prediction." Advances in Computational Intelligence. Springer International Publishing, 2015. 564-577,

with theoretical background for this package is provided below.

http://link.springer.com/chapter/10.1007/978-3-319-19222-2_47

See Also

[measure](#)

Examples

```
res<-measure(0.1,0.7)
summary(res)
```

Index

acc_intervals, 2, 4, 22
as.df_intervals (df_intervals), 4
as.error_interval (error_interval), 7
as.measure (measure), 12

best_distribution, 3

dbeta, 20
df_intervals, 4, 4, 15, 22
df_intervals.default, 6
dlaplace, 20
dnorm, 20
dweibull, 20

error_interval, 3, 4, 7, 11, 16, 17, 22, 23
error_interval.default, 8

int_beta (int_lap), 9
int_gau (int_lap), 9
int_gau_mu (int_lap), 9
int_lap, 9
int_lap_mu (int_lap), 9
int_moge (int_lap), 9
int_weibull (int_lap), 9
is.df_intervals (df_intervals), 4
is.error_interval (error_interval), 7
is.measure (measure), 12

measure, 3, 12, 17, 18, 24
measure.default, 13
multiroot, 10, 11

order, 22

p_beta, 11
p_beta (p_laplace), 19
p_gaussian, 11
p_gaussian (p_laplace), 19
p_laplace, 11, 19
p_moge, 11
p_moge (p_laplace), 19
p_weibull, 11
p_weibull (p_laplace), 19
print.df_intervals, 14
print.error_interval, 15
print.measure, 16
print.summary.error_interval, 17
print.summary.measure, 18

sort_distributions, 21
summary, 17, 18
summary.error_interval, 22
summary.measure, 23