

Package ‘msgpackR’

February 20, 2015

Type Package

Title A library to serialize or unserialize data in MessagePack format

Version 1.1

Date 2013-11-21

Author Mikiya TANIZAWA

Maintainer Mikiya TANIZAWA <1970mix@gmail.com>

Description This is the library that can serialize or unserialize MessagePack format data.

License BSD_2_clause + file LICENSE

NeedsCompilation no

Repository CRAN

Date/Publication 2013-11-22 07:33:57

R topics documented:

msgpackR-package	1
msgpack.matrix	3
msgpack.writeResult	4
pack	5
unpack	6

Index	7
--------------	----------

msgpackR-package	<i>A library to serialize or deserialize data in MessagePack format</i>
------------------	---

Description

This is the library that can serialize or deserialize MessagePack format data.

Details

Package: MessagePack for R
Type: Package
Version: 1.1
Date: 2013-11-21
License: BSD_2_clause + file LICENSE

Author(s)

Mikiya TANIZAWA <1970mix@gmail.com>

References

<http://msgpack.org/>

See Also

[pack](#), [unpack](#), [msgpack.writeResult](#), [msgpack.matrix](#)

Examples

```
(data <- c(1,2,3))
#[1] 1 2 3
(d <- pack(data))
#[1] 93 01 02 03
msgpack.writeResult("test.txt", d)
unpack("test.txt") # <= unserialize from binary file
#[1] 1 2 3
unpack(d) # <= unserialize from binary bits
#[1] 1 2 3

# example to serialize {"compact":true}, which appears at http://msgpack.org/.
sample <- TRUE
names(sample) <- c("compact")
sample
#compact
# TRUE
pack(sample)
#[1] 81 a7 63 6f 6d 70 61 63 74 c3

# Positive FixNum
a <- 100
pack(a)
#[1] 64
unpack(pack(a))
#[1] 100
```

```
# uint16
a <- 2^10
pack(a)
#[1] cd 04 00
unpack(pack(a))
#[1] 1024

# int16
a <- -2^10
pack(a)
#[1] d1 fc 00
unpack(pack(a))
#[1] -1024

# double
a <- 10.1
pack(a)
#[1] cb 40 24 33 33 33 33 33
unpack(pack(a))
#[1] 10.1

# FixRaw
a <- "sample character"
pack(a)
#[1] b0 73 61 6d 70 6c 65 20 63 68 61 72 61 63 74 65 72
unpack(pack(a))
#[1] "sample character"
```

msgpack.matrix

transfer list format to matrix format

Description

Transfer list format to matrix format

Usage

```
msgpack.matrix(data)
```

Arguments

data a list format data that is made from unpack function

Value

matrix format data

Author(s)

Mikiya TANIZAWA <1970mix@gmail.com>

See Also[unpack](#)**Examples**

```

(mat <- matrix(1:6, 2))
#      [,1] [,2] [,3]
#[1,]  1   3   5
#[2,]  2   4   6
(m <- pack(mat))
# [1] 92 93 01 03 05 93 02 04 06
unpack(m)
#[[1]]
#[1] 1 3 5
#
#[[2]]
#[1] 2 4 6
msgpack.matrix(unpack(m))
#      [,1] [,2] [,3]
#[1,]  1   3   5
#[2,]  2   4   6

colnames(mat) <- c("A", "B", "C")
mat
#      A B C
#[1,] 1 3 5
#[2,] 2 4 6
(m <- pack(mat)) # <= if data has colname, serialize to "map"
#[1] 92 83 a1 41 01 a1 42 03 a1 43 05 83 a1 41 02 a1 42 04 a1 43 06
unpack(m)
#[[1]]
#A B C
#1 3 5
#
#[[2]]
#A B C
#2 4 6
msgpack.matrix(unpack(m))
#      A B C
#[1,] 1 3 5
#[2,] 2 4 6

```

msgpack.writeResult *the function to save serialized data to file*

Description

Save serialized data to file.

Usage

```
msgpack.writeResult(filename, result)
```

Arguments

filename	filename that you want to save as
result	serialized data that you want to save

Author(s)

Mikiya TANIZAWA <1970mix@gmail.com>

See Also

[pack](#)

Examples

```
(data <- c(1,2,3))
#[1] 1 2 3
(d <- pack(data))
#[1] 93 01 02 03
msgpack.writeResult("test.txt", d)
```

pack	<i>serialize data to MessagePack format</i>
------	---

Description

Serialize data to MessagePack format

Usage

```
pack(data)
```

Arguments

data	data that you want to serialize, e.g. c(1,2,3)
------	--

Value

serialized data to MessagePack format

Author(s)

Mikiya TANIZAWA <1970mix@gmail.com>

See Also

[unpack](#), [msgpack.writeResult](#)

Examples

```
pack(c(1,2,3))
#[1] 93 01 02 03
mat <- matrix(c(1:6), nrow=2); colnames(mat) <- c("A","B","C"); pack(mat);
#[1] 92 83 a1 41 01 a1 42 03 a1 43 05 83 a1 41 02 a1 42 04 a1 43 06
```

unpack

unserialize MessagePack format data

Description

Unserialize MessagePack format data

Usage

```
unpack(str)
```

Arguments

str str is filename or array of raw data

Value

unserialized data from MessagePack format

Author(s)

Mikiya TANIZAWA <1970mix@gmail.com>

See Also

[pack](#), [msgpack.writeResult](#)

Examples

```
unpack(pack(c(1,2,3)))
#[1] 1 2 3
(data <- c(1,2,3))
#[1] 1 2 3
(d <- pack(data))
#[1] 93 01 02 03
msgpack.writeResult("test.txt", d)
unpack("test.txt") # <= unserialize from binary file
#[1] 1 2 3
unpack(d) # <= unserialize from binary bits
#[1] 1 2 3
```

Index

*Topic **\textasciitildekwd1**

msgpack.matrix, 3
msgpack.writeResult, 4
pack, 5
unpack, 6

*Topic **\textasciitildekwd2**

msgpack.matrix, 3
msgpack.writeResult, 4
pack, 5
unpack, 6

*Topic **package**

msgpackR-package, 1

msgpack.matrix, 2, 3

msgpack.writeResult, 2, 4, 6

msgpackR (msgpackR-package), 1

msgpackR-package, 1

pack, 2, 5, 5, 6

unpack, 2, 4, 6, 6