

# Package ‘twenty48’

April 24, 2021

**Title** Play a Game of 2048 in the Console

**Version** 0.2.0

**Description** Generates a game of 2048 that can be played in the console. Supports grids of arbitrary sizes, undoing the last move, and resuming a game that was exited during the current session.

**License** MIT + file LICENSE

**URL** <https://github.com/rossellhayes/twenty48>

**BugReports** <https://github.com/rossellhayes/twenty48/issues>

**Depends** R (>= 2.10)

**Imports** crayon, R6, rstudioapi

**Encoding** UTF-8

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Alexander Rossell Hayes [aut, cre, cph]  
(<<https://orcid.org/0000-0001-9412-0457>>)

**Maintainer** Alexander Rossell Hayes <[alexander@rossellhayes.com](mailto:alexander@rossellhayes.com)>

**Repository** CRAN

**Date/Publication** 2021-04-24 12:20:02 UTC

## R topics documented:

play_2048 . . . . .	2
<b>Index</b>	<b>3</b>

---

`play_2048`*Play 2048 in the console*

---

**Description**

Interact with the game by typing commands into the console and pressing enter.

**Usage**

```
play_2048(size = 4, dynamic = rstudioapi::isAvailable())  
resume_2048()
```

**Arguments**

<code>size</code>	An integer giving the grid's dimensions. Defaults to 4, which generates a 4-by-4 grid.
<code>dynamic</code>	If <code>dynamic</code> is TRUE, commands can be input without pressing enter, creating a more seamless game experience. Note that <code>dynamic</code> commands currently only work in RStudio.

**Value**

Generates an interactive game of 2048 in the console.

**Examples**

```
play_2048()  
play_2048(size = 5)
```

# Index

2048 (play\_2048), [2](#)

play\_2048, [2](#)

resume\_2048 (play\_2048), [2](#)

twenty48 (play\_2048), [2](#)